

ブランド別必要数量一覧表 本州向け（カタログ掲載品）

製品名	製品型番	断熱材区分	パラマウント商品記号	厚さ [mm]	サイズ [mm] 幅 × 長さ	入数 [枚]	体積[m ³]		省エネ基準レベル												ZEHレベル							
							使用部位と必要数量 [-戸建て住宅]				使用部位と必要数量 [-戸建て住宅-部分断熱]				使用部位と必要数量 [-戸建て住宅]				使用部位と必要数量 [-戸建て住宅-部分断熱]									
							屋根・天井・壁		床		屋根・天井・壁		床		壁		屋根・天井		床		壁		屋根・天井		床			
							[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]
ハウスロンZERO (HZD)	1PGMHZD105	C	HZD105C28L	105	390 × 2880	5	0.117	0.589	52	11	26	6	26	6	13	3	95	19	103	21	52	11	48	10	52	11	26	6
			HZD105M28L	105	425 × 2880	5	0.128	0.642	47	10	24	5	24	5	12	3	86	18	94	19	47	10	43	9	47	10	24	5
ハウスロンZERO (HZS)	1PGMHZS170	C	HZS170L13	170	420 × 1370	10	0.097	0.978	62	7	31	4	31	4	16	2	114	12	124	13	62	7	57	6	62	7	31	4
	1PGMHZS155		HZS155L13	155	420 × 1370	11	0.089	0.981	68	7	34	4	34	4	17	2	124	12	135	13	68	7	62	6	68	7	34	4
	1PGMHZS105		HZS105C28L	105	390 × 2880	8	0.117	0.943	52	7	26	4	26	4	13	2	95	12	103	13	52	7	48	6	52	7	26	4
			HZS105B28L	105	430 × 2880	8	0.130	1.040	47	6	24	3	24	3	12	2	85	11	93	12	47	6	43	6	47	6	24	3
	1PGMHZS89		HZS89I23J	89	380 × 2360	9	0.079	0.718	76	9	38	5	38	5	19	3	140	16	152	17	76	9	70	8	76	9	38	5
	1PGMHZS90		HZS90C28L	90	390 × 2880	9	0.101	0.909	60	7	30	4	30	4	15	2	109	13	119	14	60	7	55	7	60	7	30	4
	1PGMHZS89		HZS89L23J	89	420 × 2360	9	0.088	0.793	69	8	35	4	35	4	18	2	125	14	137	16	69	8	63	7	69	8	35	4
	1PGMHZS90		HZS90B28L	90	430 × 2880	9	0.111	1.003	55	6	28	3	28	3	14	2	100	11	109	12	55	6	50	6	55	6	28	3
ハウスロンZERO (HZL)	1PGMHZL100	B	HZL100C28L	100	390 × 2880	12	0.112	1.347	54	5	27	3	27	3	14	2	99	9	108	9	54	5	50	5	54	5	27	3
			HZL100B28L	100	430 × 2880	12	0.123	1.486	49	5	25	3	25	3	13	2	90	8	98	9	49	5	45	4	49	5	25	3
			HZL100K28L	100	470 × 2880	12	0.135	1.624	45	4	23	2	23	2	12	1	82	7	89	8	45	4	41	4	45	4	23	2
太陽SUNR (SRG)	2PGMSRG53	D	SRG53C27S	53	390 × 2740	6	0.056	0.339	108	18	54	9	54	9	27	5	197	33	215	36	108	18	99	17	108	18	54	9
			SRG53M27S	53	425 × 2740	6	0.061	0.370	99	17	50	9	50	9	25	5	181	30	197	33	99	17	91	15	99	17	50	9
太陽SUNR (SRJ)	1PGMSRJ140	C	SRJ140F23S	140	370 × 2340	4	0.121	0.484	50	13	25	7	25	7	13	4	91	23	100	25	50	13	46	12	50	13	25	7
			SRJ140F26S	140	370 × 2640	4	0.136	0.547	45	11	23	6	23	6	12	3	81	21	89	22	45	11	41	11	45	11	23	6
			SRJ140L23S	140	420 × 2340	4	0.137	0.550	44	11	22	6	22	6	11	3	81	20	88	22	44	11	41	10	44	11	22	6
			SRJ140L26S	140	420 × 2640	4	0.155	0.620	39	10	20	5	20	5	10	3	71	18	78	20	39	10	36	9	39	10	20	5
	1PGMSRJ120		SRJ120I27S	120	380 × 2740	6	0.124	0.749	49	9	25	5	25	5	13	3	89	15	97	17	49	9	45	8	49	9	25	5
			SRJ120M27S	120	425 × 2740	6	0.139	0.838	44	8	22	4	22	4	11	2	80	14	87	15	44	8	40	7	44	8	22	4
	1PGMSRJ105		SRJ105C27S	105	390 × 2740	6	0.112	0.673	54	9	27	5	27	5	14	3	99	17	108	18	54	9	50	9	54	9	27	5
			SRJ105M27S	105	425 × 2740	6	0.122	0.733	50	9	25	5	25	5	13	3	91	16	99	17	50	9	46	8	50	9	25	5
	1PGMSRJ89		SRJ89F23S	89	370 × 2340	8	0.077	0.616	78	10	39	5	39	5	20	3	143	18	156	20	78	10	72	9	78	10	39	5
			SRJ89F26S	89	370 × 2640	8	0.086	0.695	70	9	35	5	35	5	18	3	128	16	140	18	70	9	64	8	70	9	35	5
SRJ89L23S		89	420 × 2340	8	0.087	0.699	69	9	35	5	35	5	18	3	127	16	138	18	69	9	64	8	69	9	35	5		
SRJ89L26S		89	420 × 2640	8	0.098	0.789	62	8	31	4	31	4	16	2	113	14	123	16	62	8	57	7	62	8	31	4		

ブランド別必要数量一覧表 本州向け (カタログ掲載品)

製品名	製品型番	断熱材区分	パラマウント商品記号	厚さ [mm]	サイズ [mm] 幅 × 長さ	入数 [枚]	体積[m ³]		省エネ基準レベル												ZEHレベル											
							使用部位と必要数量 [-戸建て住宅]		使用部位と必要数量 [-戸建て住宅-部分断熱]				使用部位と必要数量 [-戸建て住宅]				使用部位と必要数量 [-戸建て住宅-部分断熱]															
							屋根・天井・壁		床		屋根・天井・壁		床		壁		屋根・天井		床		壁		屋根・天井		床							
							[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]						
太陽SUN	1PGMSS200	C	SS200L13K	200	420 × 1370	8	0.115	0.920	53	7	27	4	27	4	14	2	96	12	105	14	53	7	48	6	53	7	27	4				
	1PGMSS180		SS180L13K	180	420 × 1370	8	0.103	0.828	59	8	30	4	30	4	15	2	107	14	117	15	59	8	54	7	59	8	30	4				
	1PGMSS155		SS155L13K	155	420 × 1370	8	0.089	0.713	68	9	34	5	34	5	17	3	124	16	135	17	68	9	62	8	68	9	34	5				
	1PGMSS140		SS140F23HT	140	370 × 2350	6	0.121	0.730	50	9	25	5	25	5	13	3	91	16	100	17	50	9	46	8	50	9	25	5				
			SS140F26FT	140	370 × 2645	6	0.137	0.822	44	8	22	4	22	4	11	2	81	14	88	15	44	8	41	7	44	8	22	4				
			SS140M23H	140	425 × 2350	6	0.139	0.838	44	8	22	4	22	4	11	2	80	14	87	15	44	8	40	7	44	8	22	4				
	1PGMSS120		SS140M26F	140	425 × 2645	6	0.157	0.944	39	7	20	4	20	4	10	2	71	12	77	13	39	7	36	6	39	7	20	4				
			SS120I27S	120	380 × 2740	6	0.124	0.749	49	9	25	5	25	5	13	3	89	15	97	17	49	9	45	8	49	9	25	5				
	1PGMSS105		SS120M27S	120	425 × 2740	6	0.139	0.838	44	8	22	4	22	4	11	2	80	14	87	15	44	8	40	7	44	8	22	4				
			SS105C27S	105	390 × 2740	8	0.112	0.897	54	7	27	4	27	4	14	2	99	13	108	14	54	7	50	7	54	7	27	4				
			SS105M27S	105	425 × 2740	8	0.122	0.978	50	7	25	4	25	4	13	2	91	12	99	13	50	7	46	6	50	7	25	4				
			SS105H27S	105	435 × 2740	8	0.125	1.001	48	6	24	3	24	3	12	2	88	11	96	12	48	6	44	6	48	6	24	3				
			SS105K27S	105	470 × 2740	8	0.135	1.081	45	6	23	3	23	3	12	2	82	11	89	12	45	6	41	6	45	6	23	3				
			SS105S13K	105	810 × 1370	8	0.116	0.932	52	7	26	4	26	4	13	2	95	12	104	13	52	7	48	6	52	7	26	4				
			SS105S11R	105	810 × 11000	1	0.935	0.935	7	7	4	4	4	4	2	2	12	12	13	13	7	7	6	6	7	7	4	4				
	SS105J11R		105	910 × 11000	1	1.051	1.051	6	6	3	3	3	3	2	2	11	11	12	12	6	6	6	6	6	6	3	3					
	1PGMSS90		SS90M27S	90	425 × 2740	8	0.104	0.838	58	8	29	4	29	4	15	2	106	14	116	15	58	8	53	7	58	8	29	4				
			SS90P13K	90	825 × 1370	8	0.101	0.813	60	8	30	4	30	4	15	2	109	14	119	15	60	8	55	7	60	8	30	4				
	1PGMSS89		SS89F23H	89	370 × 2350	8	0.077	0.619	78	10	39	5	39	5	20	3	143	18	156	20	78	10	72	9	78	10	39	5				
			SS89F26F	89	370 × 2645	8	0.087	0.696	69	9	35	5	35	5	18	3	127	16	138	18	69	9	64	8	69	9	35	5				
SS89M23H		89	425 × 2350	8	0.088	0.711	69	9	35	5	35	5	18	3	125	16	137	17	69	9	63	8	69	9	35	5						
1PGMSS75	SS75M27S	75	425 × 2740	11	0.087	0.960	69	7	35	4	35	4	18	2	127	12	138	13	69	7	64	6	69	7	35	4						
1PGMSS55	SS55M27S	55	425 × 2740	16	0.064	1.024	94	6	47	3	47	3	24	2	172	11	188	12	94	6	86	6	94	6	47	3						
1PGMSS50	SS50Q27S	50	265 × 2740	24	0.036	0.871	167	7	84	4	84	4	42	2	306	13	334	14	167	7	153	7	167	7	84	4						
	SS50T27S	50	410 × 2740	16	0.056	0.898	108	7	54	4	54	4	27	2	197	13	215	14	108	7	99	7	108	7	54	4						
太陽SUNボード	1PGMSNY60	C	SNY60T18Q	60	410 × 1820	5	0.044	0.223	137	27	69	14	69	14	35	7	250	50	273	54	137	27	125	25	137	27	69	14				
			SNY60J18Q	60	910 × 1820	5	0.099	0.496	61	13	31	7	31	7	16	4	112	23	122	25	61	13	56	12	61	13	31	7				
	1PGMSNY50		SNY50J18Q	50	910 × 1820	5	0.082	0.414	74	15	37	8	37	8	19	4	135	27	147	29	74	15	68	14	74	15	37	8				
			SNY45T18Q	45	410 × 1820	10	0.033	0.335	182	18	91	9	91	9	46	5	334	33	364	36	182	18	167	17	182	18	91	9				
	1PGMSNY45		SNY45J18Q	45	910 × 1820	5	0.074	0.372	82	17	41	9	41	9	21	5	149	30	163	33	82	17	75	15	82	17	41	9				
			SNY25T18Q	25	410 × 1820	20	0.018	0.373	334	17	167	9	167	9	84	5	612	30	667	33	334	17	306	15	334	17	167	9				
1PGMSNY25	SNY25J18Q	25	910 × 1820	10	0.041	0.414	147	15	74	8	74	8	37	4	269	27	293	29	147	15	135	14	147	15	74	8						

ブランド別必要数量一覧表 本州向け（カタログ掲載品）

製品名	製品型番	断熱材区分	パラマウント商品記号	厚さ [mm]	サイズ [mm] 幅 × 長さ	入数 [枚]	体積[m ³]		省エネ基準レベル												ZEHレベル											
							使用部位と必要数量 [-戸建て住宅]		使用部位と必要数量 [-戸建て住宅-部分断熱]				使用部位と必要数量 [-戸建て住宅]				使用部位と必要数量 [-戸建て住宅-部分断熱]															
							屋根・天井・壁		床		屋根・天井・壁		床		壁		屋根・天井		床		壁		屋根・天井		床							
							[枚]	[/梱包]	[枚]	[/梱包]	[枚]	[/梱包]	[枚]	[/梱包]	[枚]	[/梱包]	[枚]	[/梱包]	[枚]	[/梱包]	[枚]	[/梱包]	[枚]	[/梱包]	[枚]	[/梱包]	[枚]	[/梱包]				
ハウスロン	1PGMHUS100	C	HUS100A	100	395 × 2740	8	0.108	0.865	56	7	28	4	28	4	14	2	102	13	112	14	56	7	51	7	56	7	28	4				
			HUS100B	100	430 × 2740	8	0.117	0.942	52	7	26	4	26	4	13	2	95	12	103	13	52	7	48	6	52	7	26	4				
			HUS100K	100	470 × 2740	8	0.128	1.030	47	6	24	3	24	3	12	2	86	11	94	12	47	6	43	6	47	6	24	3				
	1PGMHUS90		HUS90A	90	395 × 2740	10	0.097	0.974	62	7	31	4	31	4	16	2	114	12	124	13	62	7	57	6	62	7	31	4				
			HUS90M	90	425 × 2740	9	0.104	0.943	58	7	29	4	29	4	15	2	106	12	116	13	58	7	53	6	58	7	29	4				
			HUS90K	90	470 × 2740	9	0.115	1.043	53	6	27	3	27	3	14	2	96	11	105	12	53	6	48	6	53	6	27	3				
ハウスロン	1PGMHUL100	B	HUL100A	100	390 × 2740	12	0.106	1.282	57	5	29	3	29	3	15	2	104	9	114	10	57	5	52	5	57	5	29	3				
			HUL100B	100	430 × 2740	12	0.117	1.413	52	5	26	3	26	3	13	2	95	8	103	9	52	5	48	4	52	5	26	3				
			HUL100K	100	470 × 2740	12	0.128	1.545	47	4	24	2	24	2	12	1	86	8	94	8	47	4	43	4	47	4	24	2				
	1PGMHUL75		HUL75M	75	430 × 2740	17	0.088	1.502	69	4	35	2	35	2	18	1	125	8	137	8	69	4	63	4	69	4	35	2				
			HUL75K	75	470 × 2740	15	0.096	1.448	63	5	32	3	32	3	16	2	115	8	125	9	63	5	58	4	63	5	32	3				
ソフール	1PGMSFL100	B	SFL100C	100	390 × 2740	12	0.106	1.282	57	5	29	3	29	3	15	2	104	9	114	10	57	5	52	5	57	5	29	3				
			SFL100B	100	430 × 2740	12	0.117	1.413	52	5	26	3	26	3	13	2	95	8	103	9	52	5	48	4	52	5	26	3				
			SFL100K	100	470 × 2740	12	0.128	1.545	47	4	24	2	24	2	12	1	86	8	94	8	47	4	43	4	47	4	24	2				
	1PGMSFL90		SFL90C	90	390 × 2740	14	0.096	1.346	63	5	32	3	32	3	16	2	115	9	125	9	63	5	58	5	63	5	32	3				
			SFL90B	90	430 × 2740	14	0.106	1.484	57	5	29	3	29	3	15	2	104	8	114	9	57	5	52	4	57	5	29	3				
			SFL90K	90	470 × 2740	14	0.115	1.622	53	4	27	2	27	2	14	1	96	7	105	8	53	4	48	4	53	4	27	2				
ソフール (66mm品)	1PGMSFL66	B	SFL66B	66	430 × 2740	19	0.077	1.477	78	5	39	3	39	3	20	2	143	8	156	9	78	5	72	4	78	5	39	3				
			SFL66K	66	470 × 2740	17	0.084	1.444	72	5	36	3	36	3	18	2	131	8	143	9	72	5	66	4	72	5	36	3				
ハウスロンプレミア	1PGMHPXS100	C	HPXS100A	100	395 × 2740	8	0.108	0.865	56	7	28	4	28	4	14	2	102	13	112	14	56	7	51	7	56	7	28	4				
			HPXS100B	100	430 × 2740	8	0.117	0.942	52	7	26	4	26	4	13	2	95	12	103	13	52	7	48	6	52	7	26	4				
			HPXS100K	100	470 × 2740	8	0.128	1.030	47	6	24	3	24	3	12	2	86	11	94	12	47	6	43	6	47	6	24	3				
	1PGMHPXS90		HPXS90A	90	395 × 2740	10	0.097	0.974	62	7	31	4	31	4	16	2	114	12	124	13	62	7	57	6	62	7	31	4				
			HPXS90M	90	425 × 2740	9	0.104	0.943	58	7	29	4	29	4	15	2	106	12	116	13	58	7	53	6	58	7	29	4				
			HPXS90K	90	470 × 2740	9	0.115	1.043	53	6	27	3	27	3	14	2	96	11	105	12	53	6	48	6	53	6	27	3				

ブランド別必要数量一覧表 本州向け（カタログ掲載品）

製品名	製品型番	断熱材区分	パラマウント商品記号	厚さ [mm]	サイズ [mm] 幅 × 長さ	入数 [枚]	体積 [m³] [/枚] [/梱包]		省エネ基準レベル						ZEHレベル													
									使用部位と必要数量 [一戸建て住宅]			使用部位と必要数量 [一戸建住宅-部分断熱]			使用部位と必要数量 [一戸建て住宅]			使用部位と必要数量 [一戸建住宅-部分断熱]										
									屋根・天井・壁		床	屋根・天井・壁		床	壁	屋根・天井	床	壁	屋根・天井	床								
									[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]								
露断ピンレス	1PGMRLY80	C	RLY80R8S	80	805 × 810	6	0.052	0.312	116	20	58	10	58	10	29	5	212	36	231	39	116	20	106	18	116	20	58	10
			RLY80R18Q	80	805 × 1820	3	0.117	0.351	52	18	26	9	26	9	13	5	95	32	103	35	52	18	48	16	52	18	26	9
			RLY80Z8Z	80	820 × 823	6	0.053	0.323	114	19	57	10	57	10	29	5	208	35	227	38	114	19	104	18	114	19	57	10
			RLY80Z18Q	80	820 × 1820	3	0.119	0.358	51	17	26	9	26	9	13	5	93	31	101	34	51	17	47	16	51	17	26	9
露断プレミア（大引用）	1PGMRXY80	C	RXY80R18Q	80	805 × 1820	4	0.117	0.468	52	13	26	7	26	7	13	4	95	24	103	26	52	13	48	12	52	13	26	7
			RXY80Z18Q	80	823 × 1820	4	0.119	0.479	51	13	26	7	26	7	13	4	93	23	101	26	51	13	47	12	51	13	26	7
			RXY80V20N	80	895 × 2000	3	0.143	0.429	42	14	21	7	21	7	11	4	77	26	84	28	42	14	39	13	42	14	21	7
	1PGMRXY42		RXY42R18Q	42	805 × 1820	6	0.061	0.369	99	17	50	9	50	9	25	5	181	30	197	33	99	17	91	15	99	17	50	9
			RXY42Z18Q	42	823 × 1820	6	0.062	0.377	97	16	49	8	49	8	25	4	178	30	194	32	97	16	89	15	97	16	49	8
			RXY42V20N	42	895 × 2000	5	0.075	0.375	80	16	40	8	40	8	20	4	147	30	160	32	80	16	74	15	80	16	40	8
露断プレミア（根太用）	1PGMRXY80	C	RXY80Y18Q	80	263 × 1820	12	0.038	0.459	158	14	79	7	79	7	40	4	290	24	316	27	158	14	145	12	158	14	79	7
			RXY80F18Q	80	370 × 1820	6	0.053	0.323	114	19	57	10	57	10	29	5	208	35	227	38	114	19	104	18	114	19	57	10
			RXY80L18Q	80	420 × 1820	6	0.061	0.366	99	17	50	9	50	9	25	5	181	31	197	33	99	17	91	16	99	17	50	9
	1PGMRXY42		RXY42Y18Q	42	263 × 1820	18	0.020	0.361	300	17	150	9	150	9	75	5	550	31	600	34	300	17	275	16	300	17	150	9
			RXY42W18Q	42	415 × 1820	12	0.031	0.380	194	16	97	8	97	8	49	4	355	29	388	32	194	16	178	15	194	16	97	8
			RXY42L18Q	42	420 × 1820	12	0.032	0.385	188	16	94	8	94	8	47	4	344	29	375	32	188	16	172	15	188	16	94	8
内装パラダイス高性能品 24K	1PGMNHD50	C	NHD50B13	50	430 × 1370	22	0.029	0.648	207	10	104	5	104	5	52	3	380	17	414	19	207	10	190	9	207	10	104	5
	1PGMNHD100		NHD100B13	100	430 × 1370	11	0.058	0.648	104	10	52	5	52	5	26	3	190	17	207	19	104	10	95	9	104	10	52	5
内装パラダイス高性能品 16K	1PGMNS50	C	NHS50B	50	430 × 2740	16	0.058	0.942	104	7	52	4	52	4	26	2	190	12	207	13	104	7	95	6	104	7	52	4
	1PGMNS100		NHS100B13	100	430 × 1370	16	0.058	0.942	104	7	52	4	52	4	26	2	190	12	207	13	104	7	95	6	104	7	52	4
内装パラダイス高性能品 10K	1PGMNL50	B	NHL50B	50	430 × 2740	27	0.058	1.590	104	4	52	2	52	2	26	1	190	7	207	8	104	4	95	4	104	4	52	2
	1PGMNL100		NHL100B13	100	430 × 1370	28	0.058	1.649	104	4	52	2	52	2	26	1	190	7	207	8	104	4	95	4	104	4	52	2
			NHL100B	100	430 × 2740	14	0.117	1.649	52	4	26	2	26	2	13	1	95	7	103	8	52	4	48	4	52	4	26	2
内装パラダイス 24K	1PGMNP50	C	NPD50B13	50	430 × 1370	22	0.029	0.648	207	10	104	5	104	5	52	3	380	17	414	19	207	10	190	9	207	10	104	5
	1PGMNP100		NPD100B13	100	430 × 1370	11	0.058	0.648	104	10	52	5	52	5	26	3	190	17	207	19	104	10	95	9	104	10	52	5
内装パラダイス 16K	1PGMNPS50	B	NPS50B	50	430 × 2740	16	0.058	0.942	104	7	52	4	52	4	26	2	190	12	207	13	104	7	95	6	104	7	52	4
	1PGMNPS100		NPS100B13	100	430 × 1370	16	0.058	0.942	104	7	52	4	52	4	26	2	190	12	207	13	104	7	95	6	104	7	52	4
内装パラダイス 10K	1PGMNPL100	A-2	NPL100B	100	430 × 2740	14	0.117	1.649	52	4	26	2	26	2	13	1	95	7	103	8	52	4	48	4	52	4	26	2

ブランド別必要数量一覧表 本州向け（カタログ掲載品）

必要数量[袋] = 密度[kg/m³] × 最低使用量[m³] ÷ 入数 [kg]

製品名	製品型番	断熱材区分	パラマウント商品記号	設計厚さ [mm]	一袋当たりの施工面積 [m ² /袋]	入数 [kg]	施工厚さ [mm]	省エネ基準レベル				ZEHレベル			
								必要数量 [一戸建て住宅]		必要数量 [一戸建て住宅・部分断熱]		必要数量 [一戸建て住宅]		必要数量 [一戸建て住宅・部分断熱]	
								天井		天井		天井		天井	
ニューダンブロー	1PGMBW15KG	A-1	BW15KG	210	3.6	15	210	29	8	4	58	15	8		
				300	2.5		300	20	8	4	40	15	8		
				400	1.9		400	15	8	4	30	15	8		

製品名	製品型番	断熱材区分	パラマウント商品記号	設計厚さ [mm]	一袋当たりの施工面積 [m ² /袋]	入数 [kg]	施工厚さ [mm]	省エネ基準レベル								ZEHレベル											
								必要数量 [一戸建て住宅]				必要数量 [一戸建て住宅・部分断熱]				必要数量 [一戸建て住宅]				必要数量 [一戸建て住宅・部分断熱]							
								屋根・壁		床		屋根・壁		床		壁		屋根		床		壁		屋根		床	
								施工面積 [m ²]	必要数 [袋]	施工面積 [m ²]	必要数 [袋]	施工面積 [m ²]	必要数 [袋]	施工面積 [m ²]	必要数 [袋]	施工面積 [m ²]	必要数 [袋]	施工面積 [m ²]	必要数 [袋]	施工面積 [m ²]	必要数 [袋]	施工面積 [m ²]	必要数 [袋]	施工面積 [m ²]	必要数 [袋]	施工面積 [m ²]	必要数 [袋]
サンブロードライ	1PGMB1BZ2R	C	B1BZ2R	89	4.2	12	89	68	16	34	8	34	8	17	4	124	30	135	32	68	16	62	15	68	16	34	8
				105	3.6		105	58	16	29	8	29	8	15	4	105	30	115	32	58	16	53	15	58	16	29	8
				120	3.1		120	50	16	25	8	25	8	13	4	92	30	100	32	50	16	46	15	50	16	25	8
				140	2.7		140	43	16	22	8	22	8	11	4	79	30	86	32	43	16	40	15	43	16	22	8

ブランド別必要数量一覧表 本州向け (カタログ掲載品)

製品名	製品型番	断熱材区分	パラマウント商品記号	厚さ [mm]	サイズ [mm] 幅 × 長さ	入数 [枚]	体積 [m³] [/枚] [/梱包]		省エネ基準レベル								ZEHレベル											
									使用部位と必要数量 [-戸建て住宅]				使用部位と必要数量 [-戸建て住宅-部分断熱]				使用部位と必要数量 [-戸建て住宅]				使用部位と必要数量 [-戸建て住宅-部分断熱]							
									屋根・天井・壁		床		屋根・天井・壁		床		壁		屋根・天井		床		壁		屋根・天井		床	
									[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]
フェザーガラス 10K	1PGMFG1050	A-2	FG	50	910 × 22000	1	1.001	1.001	6	6	3	3	3	3	2	2	11	11	12	12	6	6	6	6	3	3		
	1PGMFG10100			100	910 × 11000	1	1.001	1.001	6	6	3	3	3	3	2	2	11	11	12	12	6	6	6	6	3	3		
フェザーガラス 16K	1PGMFG1650	B	FG	50	910 × 22000	1	1.001	1.001	6	6	3	3	3	3	2	2	11	11	12	12	6	6	6	6	3	3		
	1PGMFG16100			100	910 × 11000	1	1.001	1.001	6	6	3	3	3	3	2	2	11	11	12	12	6	6	6	6	3	3		
フェザーガラス 24K	1PGMFG2450	C	FG	50	303 × 16000	3	0.242	0.727	25	9	13	5	13	5	7	3	46	16	50	17	25	9	23	8	25	9	13	5
				50	455 × 16000	2	0.364	0.728	17	9	9	5	9	5	5	3	31	16	33	17	17	9	16	8	17	9	9	5
				50	605 × 910	10	0.027	0.275	223	22	112	11	112	11	56	6	408	40	445	44	223	22	204	20	223	22	112	11
				50	910 × 16000	1	0.728	0.728	9	9	5	5	5	5	3	3	16	16	17	17	9	9	8	8	9	9	5	5
				75	910 × 11000	1	0.750	0.750	8	8	4	4	4	4	2	2	15	15	16	16	8	8	8	8	8	8	4	4
	1PGMFG24100			100	910 × 11000	1	1.001	1.001	6	6	3	3	3	3	2	2	11	11	12	12	6	6	6	6	3	3		
フェザーガラス 32K	1PGMFG3225	C	FG	25	605 × 910	20	0.013	0.275	462	22	231	11	231	11	116	6	847	40	924	44	462	22	424	20	462	22	231	11
				25	910 × 1820	10	0.041	0.414	147	15	74	8	74	8	37	4	269	27	293	29	147	15	135	14	147	15	74	8
				25	910 × 22000	1	0.500	0.500	12	12	6	6	6	6	3	3	22	22	24	24	12	12	11	11	12	12	6	6
	1PGMFG3240			25	1000 × 2000	10	0.050	0.500	120	12	60	6	60	6	30	3	220	22	240	24	120	12	110	11	120	12	60	6
				40	605 × 910	13	0.022	0.286	273	21	137	11	137	11	69	6	500	39	546	42	273	21	250	20	273	21	137	11
	1PGMFG3250			40	910 × 1820	6	0.066	0.397	91	16	46	8	46	8	23	4	167	28	182	31	91	16	84	14	91	16	46	8
				50	455 × 11000	2	0.250	0.500	24	12	12	6	12	6	6	3	44	22	48	24	24	12	22	11	24	12	12	6
				50	605 × 910	10	0.027	0.275	223	22	112	11	112	11	56	6	408	40	445	44	223	22	204	20	223	22	112	11
				50	910 × 1820	5	0.082	0.414	74	15	37	8	37	8	19	4	135	27	147	29	74	15	68	14	74	15	37	8
				50	910 × 11000	1	0.500	0.500	12	12	6	6	6	6	3	3	22	22	24	24	12	12	11	11	12	12	6	6
				50	1000 × 2000	5	0.100	0.500	60	12	30	6	30	6	15	3	110	22	120	24	60	12	55	11	60	12	30	6
				100	605 × 910	5	0.055	0.275	110	22	55	11	55	11	28	6	200	40	219	44	110	22	100	20	110	22	55	11
	1PGMFG32100			100	910 × 1820	3	0.165	0.496	37	13	19	7	19	7	10	4	67	23	73	25	37	13	34	12	37	13	19	7