

ブランド別必要数量一覧表 本州向け（カタログ掲載品）

製品名	製品型番	断熱材区分	パラマウント商品記号	厚さ [mm]	サイズ [mm]		入数 [枚]	体積 [m³]		使用部位と必要数量 [一戸建て住宅]				使用部位と必要数量 [一戸建住宅-部分断熱]			
					幅	長さ		[/枚]	[/梱包]	屋根・天井・壁		床		屋根・天井・壁		床	
										[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]
ハウスロンZERO (HZD)	1PGMHZD	C	HZD105C28L	105	390 ×	2880	5	0.117	0.589	52	11	26	6	26	6	13	3
			HZD105M28L	105	425 ×	2880	5	0.128	0.642	47	10	24	5	24	5	12	3
ハウスロンZERO (HZZ)	1PGMHZZ	C	HGZS155L13	155	420 ×	1370	11	0.089	0.981	68	7	34	4	34	4	17	2
			HZS105C28L	105	390 ×	2880	8	0.117	0.943	52	7	26	4	26	4	13	2
			HZS105B28L	105	430 ×	2880	8	0.130	1.040	47	6	24	3	24	3	12	2
			HZS105K28L	105	470 ×	2880	8	0.142	1.137	43	6	22	3	22	3	11	2
			HZS89I23J	89	380 ×	2360	9	0.079	0.718	76	9	38	5	38	5	19	3
			HZS90C28L	90	390 ×	2880	9	0.101	0.909	60	7	30	4	30	4	15	2
			HZS89L23J	89	420 ×	2360	9	0.088	0.793	69	8	35	4	35	4	18	2
			HZS90B28L	90	430 ×	2880	9	0.111	1.003	55	6	28	3	28	3	14	2
ハウスロンZERO (HZL)	1PGMHZL	B	HZL100C28L	100	390 ×	2880	12	0.112	1.347	54	5	27	3	27	3	14	2
			HZL100B28L	100	430 ×	2880	12	0.123	1.486	49	5	25	3	25	3	13	2
			HZL100K28L	100	470 ×	2880	12	0.135	1.624	45	4	23	2	23	2	12	1
太陽SUNR (SRG)	2PGMSRG	D	SRG53C27S	53	390 ×	2740	6	0.056	0.339	108	18	54	9	54	9	27	5
			SRG53M27S	53	425 ×	2740	6	0.061	0.370	99	17	50	9	50	9	25	5
太陽SUNR (SRJ)	1PGMSRJ	C	SRJ140F23S	140	370 ×	2340	4	0.121	0.484	50	13	25	7	25	7	13	4
			SRJ140F26S	140	370 ×	2640	4	0.136	0.547	45	11	23	6	23	6	12	3
			SRJ140L23S	140	420 ×	2340	4	0.137	0.550	44	11	22	6	22	6	11	3
			SRJ140L26S	140	420 ×	2640	4	0.155	0.620	39	10	20	5	20	5	10	3
			SRJ120I27S	120	380 ×	2740	6	0.124	0.749	49	9	25	5	25	5	13	3
			SRJ120M27S	120	425 ×	2740	6	0.139	0.838	44	8	22	4	22	4	11	2
			SRJ105C27S	105	390 ×	2740	6	0.112	0.673	54	9	27	5	27	5	14	3
			SRJ105M27S	105	425 ×	2740	6	0.122	0.733	50	9	25	5	25	5	13	3
			SRJ89F23S	89	370 ×	2340	8	0.077	0.616	78	10	39	5	39	5	20	3
			SRJ89F26S	89	370 ×	2640	8	0.086	0.695	70	9	35	5	35	5	18	3
			SRJ89L23S	89	420 ×	2340	8	0.087	0.699	69	9	35	5	35	5	18	3
			SRJ89L26S	89	420 ×	2640	8	0.098	0.789	62	8	31	4	31	4	16	2

ブランド別必要数量一覧表 本州向け（カタログ掲載品）

製品名	製品型番	断熱材区分	パラマウント商品記号	厚さ [mm]	サイズ [mm]		入数 [枚]	体積 [m³]		使用部位と必要数量 [-戸建て住宅]				使用部位と必要数量 [-戸建住宅-部分断熱]			
					幅	長さ		[/枚]	[/梱包]	屋根・天井・壁		床		屋根・天井・壁		床	
										[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]
太陽SUN	1PGMSS	C	SS200L13K	200	420 ×	1370	8	0.115	0.920	53	7	27	4	27	4	14	2
			SS180L13K	180	420 ×	1370	8	0.103	0.828	59	8	30	4	30	4	15	2
			SS155L13K	155	420 ×	1370	8	0.089	0.713	68	9	34	5	34	5	17	3
			SS140F23HT	140	370 ×	2350	6	0.121	0.730	50	9	25	5	25	5	13	3
			SS140F26FT	140	370 ×	2645	6	0.137	0.822	44	8	22	4	22	4	11	2
			SS140M23H	140	425 ×	2350	6	0.139	0.838	44	8	22	4	22	4	11	2
			SS140M26F	140	425 ×	2645	6	0.157	0.944	39	7	20	4	20	4	10	2
			SS120I27S	120	380 ×	2740	6	0.124	0.749	49	9	25	5	25	5	13	3
			SS120M27S	120	425 ×	2740	6	0.139	0.838	44	8	22	4	22	4	11	2
			SS105C27S	105	390 ×	2740	8	0.112	0.897	54	7	27	4	27	4	14	2
			SS105M27S	105	425 ×	2740	8	0.122	0.978	50	7	25	4	25	4	13	2
			SS105H27S	105	435 ×	2740	8	0.125	1.001	48	6	24	3	24	3	12	2
			SS105K27S	105	470 ×	2740	8	0.135	1.081	45	6	23	3	23	3	12	2
			SS105S13K	105	810 ×	1370	8	0.116	0.932	52	7	26	4	26	4	13	2
			SS105S11R	105	810 ×	11000	1	0.935	0.935	7	7	4	4	4	4	2	2
			SS105J11R	105	910 ×	11000	1	1.051	1.051	6	6	3	3	3	3	2	2
			SS90M27S	90	425 ×	2740	8	0.104	0.838	58	8	29	4	29	4	15	2
			SS90P13K	90	825 ×	1370	8	0.101	0.813	60	8	30	4	30	4	15	2
			SS89F23H	89	370 ×	2350	8	0.077	0.619	78	10	39	5	39	5	20	3
			SS89F26F	89	370 ×	2645	8	0.087	0.696	69	9	35	5	35	5	18	3
SS89M23H	89	425 ×	2350	8	0.088	0.711	69	9	35	5	35	5	18	3			
SS75M27S	75	425 ×	2740	11	0.087	0.960	69	7	35	4	35	4	18	2			
SS55M27S	55	425 ×	2740	16	0.064	1.024	94	6	47	3	47	3	24	2			
SS50Q27S	50	265 ×	2740	24	0.036	0.871	167	7	84	4	84	4	42	2			
SS50T27S	50	410 ×	2740	16	0.056	0.898	108	7	54	4	54	4	27	2			
太陽SUNボード	1PGMSNY	C	SNY60T18Q	60	410 ×	1820	5	0.044	0.223	137	27	69	14	69	14	35	7
			SNY60J18Q	60	910 ×	1820	5	0.099	0.496	61	13	31	7	31	7	16	4
			SNY50J18Q	50	910 ×	1820	5	0.082	0.414	74	15	37	8	37	8	19	4
			SNY45T18Q	45	410 ×	1820	10	0.033	0.335	182	18	91	9	91	9	46	5
			SNY45J18Q	45	910 ×	1820	5	0.074	0.372	82	17	41	9	41	9	21	5
			SNY25T18Q	25	410 ×	1820	20	0.018	0.373	334	17	167	9	167	9	84	5
			SNY25J18Q	25	910 ×	1820	10	0.041	0.414	147	15	74	8	74	8	37	4

ブランド別必要数量一覧表 本州向け（カタログ掲載品）

製品名	製品型番	断熱材区分	パラマウント商品記号	厚さ [mm]	サイズ [mm]		入数 [枚]	体積 [m ³]		使用部位と必要数量 [一戸建て住宅]				使用部位と必要数量 [一戸建て住宅-部分断熱]			
					幅	長さ		[/枚]	[/梱包]	屋根・天井・壁		床		屋根・天井・壁		床	
										[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]
ハウスロン	1PGMHUS	C	HUS100A	100	395 ×	2740	8	0.108	0.865	56	7	28	4	28	4	14	2
			HUS100B	100	430 ×	2740	8	0.117	0.942	52	7	26	4	26	4	13	2
			HUS100K	100	470 ×	2740	8	0.128	1.030	47	6	24	3	24	3	12	2
			HUS90A	90	395 ×	2740	10	0.097	0.974	62	7	31	4	31	4	16	2
			HUS90M	90	425 ×	2740	9	0.104	0.943	58	7	29	4	29	4	15	2
			HUS90K	90	470 ×	2740	9	0.115	1.043	53	6	27	3	27	3	14	2
ハウスロン	1PGMHUL	B	HUL100A	100	390 ×	2740	12	0.106	1.282	57	5	29	3	29	3	15	2
			HUL100B	100	430 ×	2740	12	0.117	1.413	52	5	26	3	26	3	13	2
			HUL100K	100	470 ×	2740	12	0.128	1.545	47	4	24	2	24	2	12	1
			HUL90M	75	430 ×	2740	17	0.088	1.502	69	4	35	2	35	2	18	1
			HUL90K	75	470 ×	2740	15	0.096	1.448	63	5	32	3	32	3	16	2
ソフール	1PGMSFL	B	SFL100C	100	390 ×	2740	12	0.106	1.282	57	5	29	3	29	3	15	2
			SFL100B	100	430 ×	2740	12	0.117	1.413	52	5	26	3	26	3	13	2
			SFL100K	100	470 ×	2740	12	0.128	1.545	47	4	24	2	24	2	12	1
			SFL90C	90	390 ×	2740	14	0.096	1.346	63	5	32	3	32	3	16	2
			SFL90B	90	430 ×	2740	14	0.106	1.484	57	5	29	3	29	3	15	2
			SFL90K	90	470 ×	2740	14	0.115	1.622	53	4	27	2	27	2	14	1
ソフール（66mm品）	1PGMSFL66	B	SFL66B	66	430 ×	2740	19	0.077	1.477	78	5	39	3	39	3	20	2
			SFL66K	66	470 ×	2740	17	0.084	1.444	72	5	36	3	36	3	18	2
ハウスロンプレミア	1PGMHPXS	C	HPXS100A	100	395 ×	2740	8	0.108	0.865	56	7	28	4	28	4	14	2
			HPXS100B	100	430 ×	2740	8	0.117	0.942	52	7	26	4	26	4	13	2
			HPXS100K	100	470 ×	2740	8	0.128	1.030	47	6	24	3	24	3	12	2
			HPXS90A	90	395 ×	2740	10	0.097	0.974	62	7	31	4	31	4	16	2
			HPXS90M	90	425 ×	2740	9	0.104	0.943	58	7	29	4	29	4	15	2
			HPXS90K	90	470 ×	2740	9	0.115	1.043	53	6	27	3	27	3	14	2

ブランド別必要数量一覧表 本州向け（カタログ掲載品）

製品名	製品型番	断熱材区分	パラマウント商品記号	厚さ [mm]	サイズ [mm]		入数 [枚]	体積 [m ³]		使用部位と必要数量 [一戸建て住宅]				使用部位と必要数量 [一戸建て住宅-部分断熱]					
					幅	長さ		[/枚]		[/梱包]		屋根・天井・壁		床		屋根・天井・壁		床	
								[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]		
露断ピンレス（ノンホルタイプ）	1PGMLLY	C	LLY80R8S	80	805 ×	810	6	0.052	0.312	116	20	58	10	58	10	29	5		
			LLY80R18Q	80	805 ×	1820	3	0.117	0.351	52	18	26	9	26	9	13	5		
			LLY80Z8Z	80	820 ×	823	6	0.053	0.323	114	19	57	10	57	10	29	5		
			LLY80Z18Q	80	820 ×	1820	3	0.119	0.358	51	17	26	9	26	9	13	5		
露断プレミア（大引用） （ノンホルタイプ）	1PGMLXY	C	LXY80R18Q	80	805 ×	1820	4	0.117	0.468	52	13	26	7	26	7	13	4		
			LXY80Z18Q	80	823 ×	1820	4	0.119	0.479	51	13	26	7	26	7	13	4		
			LXY80V20N	80	895 ×	2000	3	0.143	0.429	42	14	21	7	21	7	11	4		
			LXY42R18Q	42	805 ×	1820	6	0.061	0.369	99	17	50	9	50	9	25	5		
			LXY42Z18Q	42	823 ×	1820	6	0.062	0.377	97	16	49	8	49	8	25	4		
			LXY42V20N	42	895 ×	2000	5	0.075	0.375	80	16	40	8	40	8	20	4		
露断プレミア（根太用） （ノンホルタイプ）	1PGMLXY	C	LXY80Y18Q	80	263 ×	1820	12	0.038	0.459	158	14	79	7	79	7	40	4		
			LXY80F18Q	80	370 ×	1820	6	0.053	0.323	114	19	57	10	57	10	29	5		
			LXY80L18Q	80	420 ×	1820	6	0.061	0.366	99	17	50	9	50	9	25	5		
			LXY42Y18Q	42	263 ×	1820	18	0.020	0.361	300	17	150	9	150	9	75	5		
			LXY42W18Q	42	415 ×	1820	12	0.031	0.380	194	16	97	8	97	8	49	4		
			LXY42L18Q	42	420 ×	1820	12	0.032	0.385	188	16	94	8	94	8	47	4		
露断ピンレス	1PGMRLY	C	RLY80R8S	80	805 ×	810	6	0.052	0.312	116	20	58	10	58	10	29	5		
			RLY80R18Q	80	805 ×	1820	3	0.117	0.351	52	18	26	9	26	9	13	5		
			RLY80Z8Z	80	820 ×	823	6	0.053	0.323	114	19	57	10	57	10	29	5		
			RLY80Z18Q	80	820 ×	1820	3	0.119	0.358	51	17	26	9	26	9	13	5		
露断プレミア（大引用）	1PGMRXY	C	RXY80R18Q	80	805 ×	1820	4	0.117	0.468	52	13	26	7	26	7	13	4		
			RXY80Z18Q	80	823 ×	1820	4	0.119	0.479	51	13	26	7	26	7	13	4		
			RXY80V20N	80	895 ×	2000	3	0.143	0.429	42	14	21	7	21	7	11	4		
			RXY42R18Q	42	805 ×	1820	6	0.061	0.369	99	17	50	9	50	9	25	5		
			RXY42Z18Q	42	823 ×	1820	6	0.062	0.377	97	16	49	8	49	8	25	4		
			RXY42V20N	42	895 ×	2000	5	0.075	0.375	80	16	40	8	40	8	20	4		
露断プレミア（根太用）	1PGMRXY	C	RXY80Y18Q	80	263 ×	1820	12	0.038	0.459	158	14	79	7	79	7	40	4		
			RXY80F18Q	80	370 ×	1820	6	0.053	0.323	114	19	57	10	57	10	29	5		
			RXY80L18Q	80	420 ×	1820	6	0.061	0.366	99	17	50	9	50	9	25	5		
			RXY42Y18Q	42	263 ×	1820	18	0.020	0.361	300	17	150	9	150	9	75	5		
			RXY42W18Q	42	415 ×	1820	12	0.031	0.380	194	16	97	8	97	8	49	4		
			RXY42L18Q	42	420 ×	1820	12	0.032	0.385	188	16	94	8	94	8	47	4		

ブランド別必要数量一覧表 本州向け（カタログ掲載品）

必要数量[袋] = 密度[kg/m³] × 最低使用量[m³] ÷ 入数 [kg]

製品名	製品型番	断熱材区分	パラマウント商品記号	設計厚さ [mm]	一袋当たりの施工面積 [m ² /袋]	入数 [kg]	施工厚さ [mm]	施工面積 [m ²]	必要数量 [一戸建て住宅]	
									天井	必要数量 [袋]
ニューダンブロー	1PGMBW15KG	A-1	BW15KG	100	8.3	15	100	60	8	4
				210	3.9		210	29	8	4
				300	2.7		300	20	8	4

製品名	製品型番	断熱材区分	パラマウント商品記号	設計厚さ [mm]	一袋当たりの施工面積 [m ² /袋]	入数 [kg]	[一戸建て住宅]						[一戸建て住宅・部分断熱]					
							必要数量(屋根・壁)			必要数量(床)			必要数量(屋根・壁)			必要数量(床)		
							施工厚さ [mm]	施工面積 [m ²]	必要数 [袋]	施工厚さ [mm]	施工面積 [m ²]	必要数 [袋]	施工厚さ [mm]	施工面積 [m ²]	必要数 [袋]	施工厚さ [mm]	施工面積 [m ²]	必要数 [袋]
サンブロードライ	1PGMBIBZ2R	C	BIBZ2R	89	3.8	12	89	68	18	45	67	9	89	34	9	45	34	5
				105	3.2		105	58	18	89	34	9	105	29	9	89	17	5
				140	2.4		140	43	18	105	29	9	140	22	9	105	15	5

ブランド別必要数量一覧表 本州向け（カタログ掲載品）

製品名	製品型番	断熱材区分	パラマウント商品記号	厚さ [mm]	サイズ [mm]		入数 [枚]	体積[m ³]		使用部位と必要数量 [一戸建て住宅]				使用部位と必要数量 [一戸建て住宅・部分断熱]			
					幅	長さ		[/枚]	[/梱包]	屋根・天井・壁		床		屋根・天井・壁		床	
										[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]
内装パラダイス高性能品 24K	1PGMNHD	C	NHD50B13	50	430 ×	1370	22	0.029	0.648	207	10	104	5	104	5	52	3
			NHD100B13	100	430 ×	1370	11	0.058	0.648	104	10	52	5	52	5	26	3
内装パラダイス高性能品 16K	1PGMNHS	C	NHS50B	50	430 ×	2740	16	0.058	0.942	104	7	52	4	52	4	26	2
			NHS100B13	100	430 ×	1370	16	0.058	0.942	104	7	52	4	52	4	26	2
内装パラダイス高性能品 10K	1PGMNHL	B	NHL50B	50	430 ×	2740	27	0.058	1.590	104	4	52	2	52	2	26	1
			NHL100B13	100	430 ×	1370	28	0.058	1.649	104	4	52	2	52	2	26	1
			NHL100B	100	430 ×	2740	14	0.117	1.649	52	4	26	2	26	2	13	1
内装パラダイス 24K	1PGMNPD	C	NPD50B13	50	430 ×	1370	22	0.029	0.648	207	10	104	5	104	5	52	3
			NPD100B13	100	430 ×	1370	11	0.058	0.648	104	10	52	5	52	5	26	3
内装パラダイス 16K	1PGMNPS	B	NPS50B	50	430 ×	2740	16	0.058	0.942	104	7	52	4	52	4	26	2
			NPS100B13	100	430 ×	1370	16	0.058	0.942	104	7	52	4	52	4	26	2
内装パラダイス 10K	1PGMNPL	A-2	NPL100B	100	430 ×	2740	14	0.117	1.649	52	4	26	2	26	2	13	1

ブランド別必要数量一覧表 本州向け（カタログ掲載品）

製品名	製品型番	断熱材区分	パラマウント商品記号	厚さ [mm]	サイズ [mm] 幅 × 長さ	入数 [枚]	体積[m ³]		使用部位と必要数量 [一戸建て住宅]				使用部位と必要数量 [一戸建住宅-部分断熱]			
							[/枚]	[/梱包]	屋根・天井・壁		床		屋根・天井・壁		床	
									[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]	[枚]	[梱包]
フェザーガラス 10K	1PGMFG10	A-2	FG	50	910 × 22000	1	1.001	1.001	6	6	3	3	3	3	2	2
				100	910 × 11000	1	1.001	1.001	6	6	3	3	3	3	2	2
フェザーガラス 16K	1PGMFG16	B	FG	50	910 × 22000	1	1.001	1.001	6	6	3	3	3	3	2	2
				100	910 × 11000	1	1.001	1.001	6	6	3	3	3	3	2	2
フェザーガラス 24K	1PGMFG24	C	FG	50	303 × 16000	3	0.242	0.727	25	9	13	5	13	5	7	3
				50	455 × 16000	2	0.364	0.728	17	9	9	5	9	5	5	3
				50	605 × 910	10	0.027	0.275	223	22	112	11	112	11	56	6
				50	910 × 16000	1	0.728	0.728	9	9	5	5	5	5	3	3
				75	910 × 11000	1	0.750	0.750	8	8	4	4	4	4	2	2
				100	910 × 11000	1	1.001	1.001	6	6	3	3	3	3	2	2
フェザーガラス 32K	1PGMFG32	C	FG	25	605 × 910	20	0.013	0.275	462	22	231	11	231	11	116	6
				25	910 × 1820	10	0.041	0.414	147	15	74	8	74	8	37	4
				25	910 × 22000	1	0.500	0.500	12	12	6	6	6	6	3	3
				25	1000 × 2000	10	0.050	0.500	120	12	60	6	60	6	30	3
				40	605 × 910	13	0.022	0.286	273	21	137	11	137	11	69	6
				40	910 × 1820	6	0.066	0.397	91	16	46	8	46	8	23	4
				50	455 × 11000	2	0.250	0.500	24	12	12	6	12	6	6	3
				50	605 × 910	10	0.027	0.275	223	22	112	11	112	11	56	6
				50	910 × 1820	5	0.082	0.414	74	15	37	8	37	8	19	4
				50	910 × 11000	1	0.500	0.500	12	12	6	6	6	6	3	3
				50	1000 × 2000	5	0.100	0.500	60	12	30	6	30	6	15	3
				100	605 × 910	5	0.055	0.275	110	22	55	11	55	11	28	6
				100	910 × 1820	3	0.165	0.496	37	13	19	7	19	7	10	4